



Submitted To: Kerri Castlen  
Hamilton County Environmental Services  
250 William Howard Taft Road  
Cincinnati, OH  
45219

Reference Data:


Sample Location: Lanxess  
Sample Type: Canister  
Client Sample No.: 108895022206  
PO #: 270043225  
Method Reference: TO-15  
Sample Set ID#: 06-M-0740  
DATACHEM Lab No.: 06-04257  
Sample Receipt Date: 2/23/2006  
Analysis Date: 2/23/2006

Sample condition was acceptable upon receipt except where noted.

The above numbered samples were analyzed for volatile organic compounds by EPA method TO-15 using an Entech 7000 Cryogenic Preconcentrator and a Hewlett-Packard GC/MS/DS operating in the scan mode.

Quantitation is based upon average response factors generated from a five-point curve. The results are provided in the enclosed data table. Results relate only to the items tested and are not blank corrected.

This report shall not be reproduced except in full, without the written approval of the laboratory.

  
\_\_\_\_\_  
Mark Johnson

Data Table PPB

Client #	1088950222 06			EQL
DCL #	06-04257	Blank		
Propene	ND	ND		1
Dichlorodifluoromethane	ND	ND		1
Freon 114	ND	ND		1
Chloromethane	ND	ND		1
1,3-Butadiene	4.1	ND		0.5*
Vinyl Chloride	ND	ND		1
Bromomethane	ND	ND		1
Chloroethane	ND	ND		1
Trichlorofluoromethane	ND	ND		1
2-Propanol	ND	ND		1
1,1-Dichloroethene	ND	ND		1
Freon 113	ND	ND		1
Acetone	ND	ND		8
Carbon Disulfide	ND	ND		1
Methylene Chloride	ND	ND		1
MTBE	ND	ND		1
Trans 1,2-Dichloroethene	ND	ND		1
Vinyl Acetate	ND	ND		1
Hexane	ND	ND		1
1,1-Dichloroethane	ND	ND		1
Cis-1,2-Dichloroethene	ND	ND		1
2-Butanone	ND	ND		1
Ethyl Acetate	ND	ND		1
Chloroform	ND	ND		1
Tetrahydrofuran	ND	ND		1
1,1,1-Trichloroethane	ND	ND		1
Cyclohexane	ND	ND		1
Carbon Tetrachloride	ND	ND		1
Heptane	ND	ND		1
Benzene	ND	ND		1
1,2-Dichloroethane	ND	ND		1
Trichloroethene	ND	ND		1
1,2-Dichloropropane	ND	ND		1
1,4 Dioxane	ND	ND		1
Bromodichloromethane	ND	ND		1
cis-1,3-Dichloropropene	ND	ND		1
4-Methyl 2-Pentanone	ND	ND		1
Toluene	ND	ND		1
trans-1,3-Dichloropropene	ND	ND		1
1,1,2-Trichloroethane	ND	ND		1
Tetrachloroethene	ND	ND		1
2-Hexanone	ND	ND		1
Dibromochloromethane	ND	ND		1

ND indicates not detected at or above the EQL value.

Data Table PPB

Client #	1088950222 06				EQL
DCL #	06-04257	Blank			
1,2-Dibromoethane	ND	ND			1
Chlorobenzene	ND	ND			1
Ethylbenzene	ND	ND			1
M&P Xylene	ND	ND			1
O Xylene	ND	ND			1
Styrene	1.2	ND			0.5*
Bromoform	ND	ND			1
1,1,2,2-Tetrachloroethane	ND	ND			1
4-Ethyl Toluene	ND	ND			1
1,3,5-Trimethylbenzene	ND	ND			1
1,2,4-Trimethylbenzene	ND	ND			1
1,3-Dichlorobenzene	ND	ND			1
1,4-Dichlorobenzene	ND	ND			1
Benzyl Chloride	ND	ND			1
1,2-Dichlorobenzene	ND	ND			1
1,2,4-Trichlorobenzene	ND	ND			1
Hexachlorobutadiene	ND	ND			1
Acrylonitrile	3.4	ND			0.5*

ND indicates not detected at or above the EQL value. \*MDL value.

Internal Standard Recovery

% Rec Bromochloromethane	83	78		
% Rec 1,4-Difluorobenzene	92	83		
% Rec Chlorobenzene-d5	93	91		

Surrogate Recovery

% Rec Bromofluorobenzene	85	86		
--------------------------	----	----	--	--

Acceptable Internal Standard and Surrogate recovery range between 60-140.

Unknown Compounds Tentative Identification

PPB


\* Tentative identification based on NBS spectral library. Quantitated values are based on a response factor of 1 and comparison to the closest internal standard and should be considered estimates.

*Mark Johnson*

*Revue Upatay*

Mark Johnson  
Analyst

Reviewer

